

Exercise Sheet 4

Due date: November 22nd. You can hand in your solutions at the start of the exercise class.

Task 1: Chain Complete Partial Orders (4 points)

Determine whether each of the following statements is true or false. For true statements present a formal proof, and for false statements provide a counterexample.

- (a) Every continuous function $f: (D_1, \sqsubseteq_1) \rightarrow (D_2, \sqsubseteq_2)$ between two CCPOs (D_1, \sqsubseteq_1) and (D_2, \sqsubseteq_2) is monotonic.
- (b) Consider the partial order (\mathbb{Q}, \leq) of the rational numbers ordered by the natural order in the reals. (\mathbb{Q}, \leq) is chain complete.
- (c) If $f: (D_1, \sqsubseteq_1) \rightarrow (D_2, \sqsubseteq_2)$ is a monotonic function between two CCPOs and $D \subseteq D_1$ is a chain, then $f(\bigsqcup D) \sqsubseteq_2 \bigsqcup f(D)$.
- (d) Let (D, \sqsubseteq) be a partial order and let $f: (D, \sqsubseteq) \rightarrow (D, \sqsubseteq)$ be monotonic. If p is the least element in D satisfying $f(p) \sqsubseteq p$, then p is a fixed point of f .

Task 2: repeat-until Loops (3 Points)

- (a) Define a transformer $F: (\Sigma \dashrightarrow \Sigma) \rightarrow (\Sigma \dashrightarrow \Sigma)$ such that

$$\mathcal{C}[\text{repeat } c \text{ until } b] = \text{fix}(F) .$$

The transformer F is allowed to depend on the semantics only of c and b (i.e. $\mathfrak{B}[b]$ and $\mathcal{C}[c]$). You cannot rely on the existence of **while**-loops within the language to define F .

- (b) Use the definition provided in (a) to compute the transformer $\hat{F}: (\Sigma \dashrightarrow \Sigma) \rightarrow (\Sigma \dashrightarrow \Sigma)$ whose least fixed point gives the semantics of program **repeat skip until false**. In other words, compute \hat{F} such that

$$\mathcal{C}[\text{repeat skip until false}] = \text{fix}(\hat{F}) .$$

- (c) Show that $\text{fix}(\hat{F}) = f_\emptyset$.

Task 3: Closed Sets (3 Points)

A set $C \subseteq D$ is *closed* if and only if for each chain $G \subseteq C$, $\bigsqcup G \in C$. In the following, let (D, \sqsubseteq) be a chain complete partial order and $f: D \rightarrow D$ be a continuous function. Prove the following two statements.

- (a) For each closed set $C \subseteq D$ with $f(x) \in C$ for each $x \in C$, we have $\text{fix}(f) \in C$.
- (b) $f(x) \sqsubseteq x$ implies $\text{fix}(f) \sqsubseteq x$, $x \in D$.